## **Vancouver Forklift Training Course**

Vancouver Forklift Training Course - Federal and industry regulators have established the criteria for forklift safety training based on their existing regulations and standards. People wanting to use a forklift should finish a forklift training program prior to working with one of these machinery. The accredited Forklift Operator Training Program is meant to provide trainees with the knowledge and practical skills to become a forklift operator.

Mobile Equipment and Vehicle safety rules that apply to forklift operation consist of pre-shift inspections, and rules for lifting and loading.

Prior to a shift beginning, an inspection checklist has to be completed and submitted to the Supervisor or Instructor. If any maintenance problem is discovered, the machine must not be utilized until the issue is addressed. To be able to indicate the equipment is out of order, the keys should be removed from the ignition and a warning tag placed in a visible place.

Loading safety regulations include checking the forklift nameplate's rating capacity and knowing if the weight of the load falls within capacity. The forklift forks should be in the downward position when the forklift is starting up. Remember that there is a loss of roughly 100 pounds carrying capacity for every inch further away from the carriage that the load is carried.

Lifting must begin with the driver moving to a stopped position about three inches from the load. The mast must then be leveled until it has reached a right angle with the load. Lift the forks to an inch under the slot on the pallet and drive forward. Then lift forks four inches. Tilt back the load to be able to secure it for moving. Drive the lift backwards if the load obscures frontal vision. Check behind and honk in order to alert other personnel. Never allow forks to drag on the ground.

The load should be loaded by the forklift in such a way that ensures the load is secure and will not create a hazard to other objects or people. Restraining loads is needed for materials which can shift during transport and destabilize the forklift.

In order to avoid the movement of drums, drums can be strapped together to reduce movement. Forklift operators should drive slowly when transporting liquids, to reduce instability in the forklift.